

Challenges and Recommendations for Integrating Circadian Medicine in Critical Care: A Roadmap.

European Respiratory Society · 2026

Circadian Medicine in Critical Care: A Comprehensive Study Guide

This study guide explores the integration of circadian medicine into intensive care settings, focusing on the challenges, propositions, and recommendations formulated by a multidisciplinary expert workshop. It serves as a roadmap for translating circadian biology into clinical practice to improve outcomes for critically ill patients.

Key Concepts and Themes

1. The Circadian System and Timing Cues

In healthy individuals, nearly all organ systems express daily 24-hour rhythms in molecular and physiological processes. these rhythms are driven by an endogenous circadian system but are influenced by external timing cues.

Daily Life Timing Cues (Natural)	ICU Setting Timing Cues (Disrupted)
Natural light and darkness cycles	Constant artificial light and lack of natural light
Daytime nutrition followed by overnight fast	Continuous enteral or parenteral nutrition
Cycles of physical activity and rest	Reduced activity, immobility, and sedation
Low nocturnal noise levels	High ambient noise and frequent healthcare processes
Normal physiological state	Critical illness and mechanical ventilation

2. The Impact of Critical Illness

Circadian disruptions are highly prevalent in the ICU. These disruptions are caused by a combination of the illness itself, the hospital environment, and clinical interventions. While these changes may initially

be an adaptive response, persistent disruption can impair coordinated organ function and delay patient recovery.

3. Challenges in Clinical Integration

- **Measurement Validity:** Conventional measures of circadian function (such as actigraphy) may not be valid in the ICU due to patient sedation, immobility, or ICU-acquired weakness.
 - **Evidence Gaps:** It remains unclear which patient subgroups benefit most from circadian restoration and what the optimal timing for interventions (e.g., central vs. peripheral clock targets) should be.
 - **Education:** There is a significant lack of coordinated education regarding circadian health among healthcare professionals, policymakers, and patient advocates.
-

The Roadmap: Propositions and Recommendations

The expert panel established a consensus (defined as >75% agreement) on several propositions and recommendations to guide future research.

Propositions for Evaluating Evidence

1. Healthy organ systems rely on 24-hour rhythms.
2. Translating circadian biology to clinical care holds promise for acute and long-term outcomes.
3. Circadian disruptions in the ICU are prevalent and potentially harmful.
4. The optimal timing and specific targets for circadian interventions remain unknown.
5. Current measurement tools need testing for appropriateness in critically ill populations.
6. There is a need for better education and outreach regarding circadian health.

Summary of Key Recommendations

The roadmap identifies 16 specific recommendations categorized into four core themes:

- **Measures of Circadian Function:** Implement a **Core Outcome Set (COS)** of circadian measures. Leverage routinely collected clinical data and data science to develop novel biomarkers.
- **Clinical Outcome Variables:** Use established core outcome sets for clinical outcomes. Ensure all procedures are accurately **time-stamped** and annotated for rhythm analysis. Include long-term, post-ICU outcomes in studies.
- **Design of Intervention Studies:** Use multidisciplinary teams (physicians, nurses, data scientists, pharmacists, etc.). Account for the stage of critical illness and individual patient preferences (e.g., sleep habits). Utilize **pragmatic trials** embedded in routine care.
- **Dissemination and Implementation:** Create models for integrating interventions into clinical workflows. Assess the cultural readiness of healthcare settings. Ensure international trials represent diverse economic settings (low-income vs. high-income).

Short-Answer Practice Questions

1. What was the predefined threshold for confirming a Proposition or Recommendation during the expert workshop?

Answer: A 75% agreement rate among participants was required for an item to be retained.

2. Why is actigraphy often considered an unreliable proxy for circadian function in the ICU?

Answer: Actigraphy is less reliable in patients who are immobile, sedated, or suffering from ICU-acquired weakness.

3. According to the source, how do healthcare processes and treatments like mechanical ventilation affect a patient's circadian system?

Answer: They act as weak or conflicting timing cues that disrupt the natural endogenous rhythms usually supported by natural light and activity cycles.

4. What is the benefit of a "Core Outcome Set" (COS) in circadian research?

Answer: A COS allows for rigorous, standardized evaluation of how circadian systems respond to interventions across different studies and facilitates consistent circadian phenotyping of patients.

5. Why is "time-stamping" emphasized in the recommendations?

Answer: Accurate and automated time-stamping of all routine clinical care and study procedures is essential to facilitate 24-hour rhythm analysis.

Essay Prompts for Deeper Exploration

1. The Adaptive vs. Maladaptive Nature of Circadian Disruption Discuss the proposition that circadian changes in the ICU may be part of an adaptive response to critical illness. What are the implications for clinicians when deciding if—and when—to intervene to restore normal rhythms? Use the source's mention of illness stages in your response.

2. Multidisciplinary Approaches to Circadian Intervention The text recommends involving a diverse team when designing circadian studies. Explain why the inclusion of non-clinical roles (e.g., data scientists, technicians, and economic health specialists) is vital for the successful implementation of circadian medicine in a complex environment like the ICU.

3. Pragmatic Trial Design in Critical Care Analyze the recommendation to use pragmatic trials embedded in routine clinical care. What are the specific advantages of this design for evaluating "low-risk" circadian interventions compared to traditional, highly controlled clinical trials?

Glossary of Important Terms

- **Actigraphy:** A method used to derive daily rhythms from movement, often used as a proxy for circadian function but limited in the ICU by patient immobility.
 - **Circadian Medicine:** A field of clinical care that integrates knowledge of biological 24-hour rhythms to improve patient outcomes.
 - **Core Outcome Set (COS):** A consensus-driven, standardized group of measures that should be assessed and reported in all clinical trials within a specific field.
 - **Endogenous Circadian Rhythm:** An internal biological process that regulates the 24-hour cycle of biological activities, persisting even in the absence of external cues.
 - **Enteral Nutrition:** The delivery of nutrients directly into the digestive tract (e.g., via a feeding tube), often administered continuously in the ICU, which can disrupt natural fasting/feeding rhythms.
 - **Pragmatic Trial:** A study design embedded in routine clinical care intended to evaluate the effectiveness and feasibility of interventions in real-world settings.
 - **Timing Cues (Zeitgebers):** External environmental signals, such as light/dark cycles or feeding schedules, that entrain the internal biological clock to the 24-hour day.
-